



**WILLIBALD**

# The Premium Shredder

**MZA  
SERIES**



Distributed throughout Australia by

**DAAK  
ENGINEERING**

1

- 1 Automatic power belt drive
- 2 New rotor design with fixed shredding segments and free-swinging flails both easily replaceable
- 3 W'tronic system – electronic control unit with remote control
- 4 Hydraulic feed hopper extension
- 5 Hydraulic flail shaft extractor
- 6 Large side doors for storage and tool storage
- 7 Shaker screen
- 8 Aggressive infeed roller
- 9 Infeed hopper

2

3




8



**The MZA Principle**

ECOMATIC (standard):



- 1 Rotor
- 2 Flails
- 3 Adjustable crusher rakes
- 4 Hydraulic cylinder
- 5 Infeed roller
- 6 Infeed conveyor
- 7 Drive shaft

- 10 Infeed conveyor
- 11 Hydraulic drawbar support
- 12 Wheel drive
- 13 Crawler track type chassis
- 14 Adjustable crusher rakes for exact sizing of output material

11

12

13





# Technical specifications

Technical specifications	MZA 2200	MZA 2800	MZA 4100	MZA 4600
Engine	MAN	MAN	MAN	MAN
Power (kW/hp)	162/220	206/280	309/420	338/460
Throughput				
· greenwaste	up to 50 m <sup>3</sup> /h	up to 80 m <sup>3</sup> /h	up to 140 m <sup>3</sup> /h	up to 180 m <sup>3</sup> /h
· bark	up to 70 m <sup>3</sup> /h	up to 120 m <sup>3</sup> /h	up to 180 m <sup>3</sup> /h	up to 230 m <sup>3</sup> /h
· waste wood	up to 30 m <sup>3</sup> /h	up to 60 m <sup>3</sup> /h	up to 90 m <sup>3</sup> /h	up to 120 m <sup>3</sup> /h
Feed opening				
· width	1450 mm	1450 mm	1450 mm	1450 mm
· height	350 mm	520 mm	520 mm	520 mm
Flail shafts / Flails	3/24	4/48	4/48	4/48
Rotor diameter	800 mm	1000 mm	1000 mm	1000 mm
Loading height	1950 mm	2060 mm	2060 mm	2060 mm
Dimensions in mm	9400x2460x3400	10700x2550x3800	10700x2550x3800	10700x2550x3800
max. weight	11000 kg	15500 kg	16000 kg	16000 kg

Options	MZA 2200	MZA 2800	MZA 4100	MZA 4600
Discharge conveyor	■	■	■	■
Magnetic separator	■	■	■	■
Wheel drive	■	■	■	■
Remote control	■	■	■	■
Central lubrication system	■	■	■	■
Hydraulic flail shaft extractor	-	■	■	■
Reversible fan	■	■	■	■
Hydr. feed-hopper extension	-	■	■	■
Additional fuel tank	-	■	■	■
Working lights	■	■	■	■
Crawler track type chassis	■	■	■	■
Shaker screen	-	■	■	■
Noise reduction system	■	■	■	■

■ optional

- not available

March 2003

Note: Due to a policy of constant product improvement, specifications may be subject to change.

**For details**  
[www.daak.com.au](http://www.daak.com.au)



**DAAK Engineering Pty Ltd:** Sole Australian Distributors

**Perth (Head Office)**

14 Clapham Street, Beckenham, Western Australia 6107

Telephone: (08) 9258 9333 Fax: (08) 9258 9111

Email: [sales@daak.com.au](mailto:sales@daak.com.au) Web: [www.daak.com.au](http://www.daak.com.au)

**Adelaide**

Telephone: (08) 8342 9333

Fax: (08) 8342 9011